# **EXHIBIT A**

### SUPPLEMENTAL PUBLICATIONS:

Annual Reports of the Federal Communications Commission to Congress. Federal Communications Commission Reports of Orders and Decisions.

Communications Act of 1934 (with amendments and index thereto), revised to Sept. 13, 1960; Packet No. 1, revised pages, Sept. 1960 to Dec. 1961; Packet No. 2, revised pages, Dec. 1961 to Oct. 1962.

Statistics of Communications Common Carriers, 1957, 1959, 1960, and 1962.

## MISCELLANEOUS PUBLICATIONS:

Study Guide and Reference Material for Commercial Radio Operator Examinations, May 1955 edition. Figure M-3, Estimated AM Ground Conductivity of the United States (set of two maps).

# SUBCHAPTER B-COMMON CARRIER SERVICES

#### PART 20-[RESERVED] Sec. 21,104 Types of emission. 21.105 Bandwidth. PART 21—DOMESTIC PUBLIC RADIO 21.106 Emission limitations. SERVICES (OTHER THAN MARITIME 21.107 Transmitter power. 21.108 Directional antennas. MOBILE) 21.109 Antenna changes. Sec. 21.110 Antenna polarization. 21.0 Basis and purpose. 21,111 Simultaneous use of common antenna structure. Subpart A-Definitions Marking of antenna structures. 21.1 Definitions. Description of station location. 21.114 Temporary fixed antenna height re-Subpart B—Applications and Licenses strictions. Station authorization required. 21.10 21.115 Method for determining average ter-General citizenship restrictions. Place of filing applications, fees and 21.11 rain elevation. 21.12 Topographical data. Transmitter location. 21.116 number of copies. 21.117 Who may sign applications. 21.18 21,118 Transmitter construction and in-Informal applications. 21.14 stallation. 21.15 Contents of applications. 21.119 Limitation on use of transmitters for 21.16 Additional statements. other services. 21.17 Form of amendments to applications. 21.120 Type acceptance of transmitters. Amendments of applications ordered. 21.121 Replacement of equipment. 21.19 Application for special temporary authorization. Subpart D-Technical Operation 21.20 Defective applications. Station inspection. 21.200 21,21 Inconsistent or conflicting applica-21.201 Posting of station authorizations. tions 21.202 Transmitter identification. 21.22 Repetitious applications. 21.23 Amendments of applications. 21.203 Posting of operator licenses. 21,24 Dismissal of applications. FCC publications required for refer-21.204 21,25 Partial grants. ence 21.26 Grants without a hearing. 21,205 Operator requirements. 21,27 Processing of applications. 21,206 Inspection and maintenance of an-21.28 Transfer and assignment of station tenna structure obstruction markauthorization. ing and associated control equip-21,29 Forms to be used. ment. 21.30 Period of construction. Transmitter measurements. 21.207 21,31 Forfeiture of station authorizations. 21.208 Station records. 21.32 License period. 21,209 Communications concerning safety 21.38 Status of amendments to applicaof life and property. tions. 21,210 Operation during emergency. Subpart C-Technical Standards 21.211 Suspension of transmission. 21.212 Equipment, service and maintenance 21.100 Frequencies. Frequency tolerance. Frequency measuring or calibrating tests. 21.101 21,213 Station identification. 21.102 Operation of stations at temporary apparatus. 21.103 Standards and limitations governing fixed locations for communication authorization and use of frequenbetween the United States and cies in the 72-76 Mc/s band. Canada or Mexico.

	Subpart E-Miscellaneous		Subpart H—Rural Radio Servico
Sec.		Sec.	×
21.300	Business records.	21,600	Eligibility.
21.301	National defense; free service.	21.601	Frequencies.
21.302	Answers to notices of violation.	21.602	Transmitter power.
21.303	Discontinuance, reduction or im-	21.603	Types of emission.
01 004	pairment of service.	21.604	Emission limitations.
91.003	Tariffs, reports, and other material required to be submitted to the	21.605	Modulation requirements.
	Commission.	21.606	Permissible communications.
21.805	Reports required concerning amend-	21.607	Priority of service.
M4.000	ments to charters, by-laws, and	21.608	Supplementary showing required
	partnership agreements.		with application for inter-office
21.806	Requirement that permittees and		stations.
	licensees respond to official com-	21.609	Supplementary showing required
	munications.		with applications for central office
Cut	- mt E - Davidson and all Authorizations		stations and rural subscriber sta-
อบอ	part F—Developmental Authorizations		tions.
21,400	Eligibility.	21.610	Rural subscriber, inter-office, and
21.401	Scope of service.		central office stations at temporary
21.402	Adherence to program of research		fixed locations.
01.400	and development.	21.611	
21.403	Special procedure for the develop-	221022	temporary locations.
	ment of a new service or for the use of frequencies not in accord-		political desired and a second
	ance with the provisions of the	Subp	art I-Point-to-Point Microwave Radio
	rules in this part.	3.50	Service
21,404	Terms of grant; general limitations,	2004-000-00-00-0	
21.405	Supplementary showing required.	21.70 <b>0</b>	Eligibility.
21.406	Developmental report required.	21.701	Frequencies.
THE ME I		21.702	Transmitter power.
Subport	G-Domestic Public Land Mobile Radio	21.703	Bandwith and emission limitations.
21.500	Service	21.704	Modulation requirements.
21.501	Eligibility. Frequencies.	21.705	Permissible communications.
21.502	Classification of base stations.	21.706	Supplementary showing required
21.503	Geographical separation of co-chan-		with applications.
	nel stations.	21.707	Stations at temporary fixed locations.
21.504	Service area of base station.	21.708	Notification of station operation at
21,505	Antenna height-power limit for base	01 200	temporary fixed locations.
	stations.	21.709	Renewal of station licenses.
21.506	Power limitations.	21.713	Applications for authorizations in-
21.507	Bandwidth and emission limitations.		volving relay of television signals
21.508	Modulation requirements.		to CATV systems.
21.509	Permissible communications.	Subport	J-Local Television Transmission Service
21.510	Base stations may be authorized only	200 02044	
	as part of integrated radio system.	21.800	Eligibility.
21.511	Communication service to own mo-	21.801	Frequencies.
THE PROPERTY OF THE PROPERTY O	bile units.	21.802	Assignment of frequencies to mobile
21.512	Priorities for service to subscribers.		stations.
21.513	Location of message center.	21.803	Transmitter power.
21.514	Responsibility for operational con-	21.804	Bandwith and emission limitations.
	trol and maintenance of mobile	21.805	Modulation requirements.
01 616	units.	21.806	Remote control operation of mobile
21.515		01 000	television pickup stations.
01 510	dispatch stations. Additional showing required with ap-	21.807	Stations at temporary fixed locations.
21.010	plication for assignment of addi-	21.808	Notification of station operation at
	tional channel.	. 21,809	temporary locations. Stations affected by coordination dis-
21.517	Use of base station as a repeater	. 21.000	tance procedures.
	station.	•	
21.518	Use of mobile station frequency for	AUTH	ORITY: The provisions of this Part 21
200000000	control station.	issued i	under secs. 4, 303, 48 Stat. 1066, 1082,
21.519	Use of mobile station frequency for		nded; 47 U.S.C. 154, 303, unless other-
	dispatch stations.	wise no	
21.520	Notification of operation of dispatch		cr: The provisions of this Part 21
	station without specific authoriza-		at 28 F.R. 13002, Dec. 5, 1963, unless
	tion.	otherwi	se noted.

# § 21.0 Basis and purpose.

(a) The basis for the rules in this part is the Communications Act of 1934, as amended, and applicable treaties and agreements to which the United States is a party. The rules in this part are issued pursuant to the authority contained in Titles II and III of the Communications Act of 1934, as amended, which vests authority in the Federal Communications Commission to regulate common carriers of interstate and foreign communications and to regulate radio transmissions and issue licenses for radio stations.

(b) The purpose of the rules and regulations in this part is to prescribe the manner in which portions of the radio spectrum may be made available for the use of radio for domestic communication common carrier operations which require transmitting facilities on land.

## Subpart A-Definitions

## § 21.1 Definitions.

As used in this part:

Antenna power gain. The square of the ratio of the root-mean-square free space field intensity produced at one mile in the horizontal plane, in millivolts per meter for one kilowatt antenna input power to 137.6 mv/m. This ratio should be expressed in decibels (db). (If specified for a particular direction, antenna power gain is based on the field strength in that direction only.)

Antenna power input. The radio frequency peak or RMS power, as the case may be, supplied to the antenna from the antenna transmission line and its associated impedance matching network.

Antenna structures. The term antenna structures includes the radiating system, its supporting structures, and any surmounting appurtenances.

Assigned frequency. The frequency coinciding with the center of the radio frequency channel in which the station is authorized to work. This frequency does not necessarily correspond to any frequency in an emission.

Authorized frequency. The frequency assigned to a station by the Commission and specified in the instrument of authorization.

Authorized power. The power assigned to a radio station by the Commission and specified in the instrument of authorization. The authorized power does not necessarily correspond to the

power used by the Commission for purposes of its Master Frequency Record (MFR) and notification to the International Telecommunications Union.

Auxiliary test station. A fixed station used for test transmissions only, operating on mobile station frequencies from a specified fixed location, for the purpose of determining the performance of fixed receiving equipment which is remotely located from the base station with which it is associated, or where the receiving equipment is located with the base station and both are remotely located from the control point of the station.

Bandwidth occupied by an emission. The band of frequencies comprising 99 percent of the total radiated power extended to include any discrete frequency on which the power is at least 0.25 percent of the total radiated power.

Base station. A land station in the land mobile service carrying on a service with land mobile stations.

Norm: In certain cases, also communicates with fixed stations and vessels.

Carrier. In a frequency stabilized system, the sinusoidal component of a modulated wave whose frequency is independent of the modulating wave; or the output of a transmitter when the modulating wave is made zero; or a wave generated at a point in the transmitting system and subsequently modulated by the signal; or a wave generated locally at the receiving terminal which when combined with the side bands in a suitable detector, produces the modulating wave.

Carrier frequency. The frequency of the carrier.

Central office. A landline termination center used for switching and interconnection of public message communication circuits.

Central office station. A fixed station used for transmitting communications to rural subscriber stations associated therewith.

Communication common carrier. Any person engaged in rendering communication service for hire to the public.

Control point. A control point is an operating position at which an operator responsible for the operation of the transmitter is stationed and which is under the control and supervision of the licensee.

Control station. A fixed station whose transmissions are used to control automatically the emissions or operations of another radio station at a specified location, or to transmit automatically to an alarm center telemetering information relative to the operation of such station.

Coordination distance. For the purpose of this part, the expression "coordination distance" means the distance from an earth station, within which there is a possibility of the use of a given transmitting frequency at this earth station causing harmful interference to stations in the fixed or mobile service, sharing the same band, or of the use of a given frequency for reception at this earth station receiving harmful interference from such stations in the fixed or mobile service.

Dispatch communication. Two-way voice communication, normally of not more than one minute's duration, between common carrier base and land mobile stations, or between a common carrier land mobile station and a landline telephone station not connected to a public message telephone system.

Dispatch point. A dispatch point is a base station operating position, operated by a subscriber, which is under the control and supervision of the base station licensee.

Dispatch station. A fixed station, operated by a subscriber, or a group of subscribers, which communicates, under the supervision and control of the base station licensee, through the base station, with the individual subscriber's own mobile station or stations.

Domestic fixed public service. A fixed service, the stations of which are open to public correspondence, for radiocommunications originating and terminating solely at points all of which lie within: (a) the State of Alaska, or (b) the State of Hawaii, or (c) the contiguous 48 States and the District of Columbia, or (d) a single possession of the United States. Generally, in cases where service is afforded on frequencies above 72 Mc/s, radiocommunications between the contiguous 48 States (including the District of Columbia) and Canada or Mexico, or radiocommunications between the State of Alaska and Canada, are deemed to be in the domestic fixed public service.

Domestic public land mobile radio service. A public communication service for hire between land mobile stations wherever located and their associated base stations which are located within the United States or its possessions, or between land mobile stations in

the United States and base stations in Canada.

Domestic public radio services. The land mobile and domestic fixed public services the stations of which are open to public correspondence.

Note: Parts 81 and 83 of this chapter are applicable to maritime services. Part 87 is applicable to aeronautical services; and Part 85 is applicable to certain Alaskan services.

Earth station. A station in the space service located either on the earth's surface, including on board a ship, or on board an aircraft.

Effective radiated power. The product of the antenna power input and the antenna power gain. This product should be expressed in watts. (If specified for a particular direction, effective radiated power is based on the antenna power gain in that direction only.)

Exchange. A unit of a communication company or companies for the administration of communication service in a specified area, which usually embraces a city, town, or village and its environs, and consisting of one or more central offices, together with the associated plant, used in furnishing communication service in that area.

Exchange area. The geographic area included within the boundaries of an exchange.

Facsimile. A system of telecommunication for the transmission of fixed images with a view to their reception in a permanent form.

Fixed earth station. An earth station intended to be used at a specified fixed point.

Fixed microwave auxiliary station. A fixed station used in connection with (1) the alignment of microwave transmitting and receiving antenna systems and equipment, (2) coordination of microwave radio survey operations, and (3) cue and contact control of television pickup station operations.

Fixed service. A service of radiocommunication between specified fixed points.

Fixed station. A station in the fixed service.

Frequency tolerance. The frequency tolerance, expressed as a percentage or in cycles per second, is the maximum permissible deviation, with respect to the reference frequency of the corresponding characteristic frequency of an emission.

General communication. Two-way voice communication, through a base station, between a common carrier land mobile station and a landline telephone station connected to a public message landline telephone system, or between two common carrier land mobile stations via a base station.

Harmful interference. Any radiation or any induction which endangers the functioning of a radionavigation service or of a safety service or obstructs or repeatedly interrupts a radio service.

Inter-office station. A fixed station in the domestic fixed public service which is used exclusively for interconnection of

telephone central offices.

Landing area. A landing area means any locality, either of land or water, including airports and intermediate landing fields, which is used, or approved for use for the landing and take-off of aircraft, whether or not facilities are provided for the shelter, servicing, or repair of aircraft, or for receiving or discharging passengers or cargo.

Land mobile service. A mobile service between base stations and land mobile stations, or between land mobile stations.

Land mobile station. A mobile station in the land mobile service capable of surface movement within the geographical limits of a country or continent.

Land station. A station in the mobile service not intended for operation while

in motion.

Local television transmission service. A domestic public radio communication service for the transmission of television material and related communications.

Message center. The point at which messages from members of the public are accepted by the carrier for transmission to the addressee.

Mobile earth station. An earth station intended to be used while in motion or during halts at unspecified points.

Mobile microwave auxiliary station. A mobile station used in connection with (1) the alignment of microwave transmitting and receiving antenna systems and equipment, (2) coordination of microwave radio survey operations, and (3) cue and contact control of television pickup station operations.

Microwave frequencies. As used in this part, this term refers to frequencies

of 890 Mc/s and above.

Miscellaneous common carriers. Communications common carriers which are not engaged in the business of providing either a public landline message telephone service or public message telegraph service.

Mobile service. A service of radiocommunication between mobile and land stations or between mobile stations.

Mobile station. A station in a mobile service intended to be used while in motion or during halts at unspecified points.

Necessary bandwidth of emission. The necessary bandwidth is the width of the frequency band which is necessary in the over-all system, including both transmitter and receiver, for the proper reproduction at the receiver of the desired information, and does not necessarily indicate the interfering characteristics of an emission.

Note: The necessary bandwidth for an emission may be calculated using the formulas in § 2.202 of this chapter.

Point-to-point microwave radio service. A domestic public radio service rendered on microwave frequencies by fixed stations between points which lie within the United States or between points in its possessions or to points in Canada or Mexico.

Private line service. A service whereby facilities for communication between two or more designated points are set aside for the exclusive use or availability for use of a particular customer and authorized users during stated periods of time.

Public correspondence. Any telecommunication which the offices and stations, by reason of their being at the disposal of the public, must accept for transmission.

Public message service. A service whereby facilities are offered to the public for communication between all points served by a carrier or by interconnected carriers on a non-exclusive message by message basis, contemplating a separate connection for each occasion of use.

Radiocommunication. Any telecommunication by means of Hertzian waves.

Radio station. A separate transmitter or a group of transmitters under simultaneous common control, including the accessory equipment required for carrying on a radiocommunication service.

Rated power output. The term "rated power output" of a transmitter means the normal radio frequency power output capability (Peak or Average Power) of a transmitter, under optimum conditions of adjustment and operation, specified by its manufacturer.