### CONTRACT

Customer	Contractor	Project	
City of Chula Vista	Pacific Play Systems, Inc.	Date	1/12/2015
276 Fourth Avenue Chula Vista. CA 91910	Contractor Lic. # 957776 Class A/B/C61/D34/D12	Terms	See Payment
	Phone (760) 599-7355	Valid for	30 Days



	Phone (760) 599-7355	Valid for	30 Days	w	ww.pacificplay	/inc.com
s .	Description			Qty	Rate	Total
Scope of Work: Furnish & Install Pla (typical for all structures and compo Park & Loma Verde Park. Furnish & Acknowledging Addendum #1 & #2	onents outlined here) at Los Install 200 cubic yards of en	Ninos Park,	Valle Lindo			
1. Los Ninos Park Playcraft PR-R5 SN: 4B19EA, Custon	n 5" OD Steel Play System, 2	-5 age-grou	p w/Talk Tubes.	1	19,877.00	19,877.00T
PC-2475 Stand-n-Spin				1	957.00	957.00T
PC-2454 Spinner Seat Playcraft PC-1420-R5 Talk Tubes				1	435.00 1,250.00	435.00T 1,250.00T
Special VIP Customer Discount, valid	d if accepted within 15 days				-4,000.00	-4,000.00
Freight & delivery costs Installation labor, playground equip	ment with in-ground concre	ete footings		1	798.00 8,950.00	798.00 8,950.00
CPSI Audit & Report Sub-total				1	500.00	500.00 28,767.00
2. Vallle Lindo Park Playcraft PR-R5 SN# 8292DA, Custo	m 5" OD Steel Play System, 2	2-5 age-gro	ap	1	19,887.00	19,887.00T
Playcraft PR-R5 SN# BCBBBA, Custo Playcraft PR-R5 SN#7FFDBA, Custon				1	5,631.00 2,968.00	5,631.00T 2,968.00T
Special VIP Customer Discount, valid			,	_	-4,000.00	-4,000.00
Freight & delivery costs	a ii accepted within 15 days			1	850.00	850.00
Installation labor, playground equip	ment with in-ground concre	ete footings		1	9,850.00	9,850.00
CPSI Audit & Report Sub-total				1	500.00	500.00 35,686.00
3. Loma Verde Park						5 555 005
Playcraft SN C97A7A Clubhouse Str	acture, 5" OD posts			1	5,557.00	5,557.00T
Playcraft PC-1420-R5, Talk Tubes Playcraft SN 85C19A Panel Structure	e			1	1,250.00 2,125.00	1,250.00T 2,125.00T
Special VIP Customer Discount, valid	d if accepted within 15 days				-2,000.00	-2,000.00
Attached Exhibit A (Terms and	Conditions) shall be made	e a part of	this Contract.	Tota	I	

### CONTRACT

Customer	Contractor	Project	
City of Chula Vista	Pacific Play Systems, Inc.	Date	1/12/2015
276 Fourth Avenue Chula Vista. CA 91910	Contractor Lic. # 957776 Class A/B/C61/D34/D12	Terms	See Payment
	Phone (760) 599-7355	Valid for	30 Days



	Phone (760) 599-7355	Valid for	30 Days	w	ww.pacificpla	yinc.com
	Description	3		Qty	Rate	Total
Freight & delivery costs				1	400.00	400.00
Installation labor, playground equip	ment with in-ground concre	ete footings		1	3,850.00	3,850.00
Ci Si Addit & Report				1	500.00	500.00
Sub-total						11,682.00
Surfacing & Misc. Work:						
Labor to stock pile the existing woo equipment and then its re-installati	d fibers on each site prior to on	the installa	tion of	3	500.00	1,500.00
New Engineered Wood Fibers, Appr	ox 200 cubic yards (includes	a 30% com	paction factor)	200	28.00	5,600.00T
Freight & delivery costs			,	200	10.00	2,000.00
installation labor, blown in material	at three locations			200	10.00	2,000.00
Temporary Fencing at three sites				1	1,250.00	1,250.00
Payment & Performance Bond				1	2,500.00	2,500.00
Project mobilization, administration	, coordination of various tra	des, contrac	ctor's O&P	1	8,500.00	8,500.00
CA Sales Tax (is excluded) and shall	be added to the contract sur	n (Amount :	= \$5,243)	1	0.00	0.00
EXCLUSIONS: This Contract only covare clearly outlined in the Scope of Nathat are not clearly outlined in the Snot limited to the following:	Nork. All other equipment, r	naterials an	d/or services			
1. CA Sales Tax, site work, site drains obtaining permits, etc.	s, filter fabric, builders risk in	nsurance, fu	rnishing plans,			
2.Surveying, barricades, traffic contr modifications and/or repairs to any	ol, flagging, erosion control, existing or damaged utilities	dust contro as a result o	ol, of this work.			
3. Dealing with unforeseen condition conditions and anything else that is Conditions for a description of Unfor	not clearly outlined in this Co	s a result of ontract. See	these Terms and			
Attached Exhibit A (Terms and C	Conditions) shall be made	a part of tl	nis Contract.	Total		

### CONTRACT

Customer	Contractor	Project	
City of Chula Vista	Pacific Play Systems, Inc.	Date	1/12/2015
276 Fourth Avenue Chula Vista. CA 91910	Contractor Lic. # 957776 Class A/B/C61/D34/D12	Terms	See Payment
	Phone (760) 599-7355	Valid for	30 Days



Qtv Rate

Description Total Required Statement for California Projects: Contractors are required by law to be licensed and regulated by the Contractors' State License Board which has jurisdiction to investigate complaints against contractors if a complaint regarding a patent act or omission is field within four (4) years of the date of the alleged violation. A complaint regarding a latent act or omission pertaining to structural defects must be filed within ten (10) years of the date of the alleged violation. Any questions concerning a contractor may be referred to the Registrar, Contractors' State License Board, P.O. Box 26000, Sacramento, California 95826. This Contract is executed between Pacific Play Systems, Inc., a California corporation, hereafter referred to as Contractor, and Customer (also refereed to as Owner), identified in the Customer section of this Contract. Either Customer or Contractor may be referred to as Party, together as Parties. The purpose of this Contract is for Contractor to provide Customer with equipment, materials and/or services as outlined in the Scope of Work section of this Contract in exchange for the sum of money as outlined in this Contract. By signing below, both Parties acknowledge that they are entering into a legally binding Contract, which includes Exhibit A. Customer acknowledges the receipt and review of Exhibit A (Terms and Conditions) which shall be made a part of this Contract and enforceable to the full extent allowed by law. ACCEPTED BY CUSTOMER: Customer's Name: \_\_\_\_\_ Date accepted: Signature: \_\_ Signed By: \_\_\_\_\_ ACCEPTED BY CONTRACTOR: Pacific Play Systems, Inc. Date accepted: 1-12-15 California Contractors License #957776 Classifications: A, B, C61-D12, C61-D34 Federal Tax I.D. #: 27-4620108 Signature: Signed By: Ali Bemanian, President CA Sales Tax, Tax Exempt 0.00% 0.00

Attached Exhibit A (Terms and Conditions) shall be made a part of this Contract. Total

PACIFIC PLAY SYSTEMS, INC. 3226 Grey Hawk Court, Carlsbad, CA 92010 - Phone 760-599-7355 or 855-599-7355 - Fax 760-599-7385

\$99,485.00

### **EXHIBIT A**

### **TERMS AND CONDITIONS**

- 1. ATTORNEY FEES & EXPENSES: In the event of any dispute under this Contract, the prevailing party shall be entitled to recover from the other party reasonable attorneys' fees and costs of suit, including any fees and costs incurred in preparation of such suit. If timely payments are not made by Customer and collection becomes necessary, Contractor shall be entitled to collecting interest and all reasonable costs incurred to the extent allowed by law.
- 2. BUSINESS LICENSE: If obtaining a business license becomes necessary for a particular city in which Contractor does not have a current license with, Contractor shall obtain the required license and Customer shall reimburse Contractor for its cost (including staff time) at cost plus 15%.
- 3. CHANGE ORDERS: Extra Work and Change Orders become part of the contract once the order is prepared in writing and signed by the parties prior to the commencement of any work covered by the new change order. The order must describe the scope of the extra work or change, the cost to be added or subtracted from the contract, and the effect the order will have on the schedule of progress payments.
- 4. DEMOLITION: Unless other arrangements are made prior to the start of demolition, all demolition items shall be disposed of by Contractor in a manner selected by Contractor.
- 5. DISCOUNTS: Discounts (if any) provided are valid only if Customer completely fulfills his or her obligations under this Contract, including making timely payments per Payment Terms outlined in this Contract. Customer's failure to pay amounts due under this Contract in a timely fashion shall constitute forfeiture of any and all discounts provided under this Contract and shall increase Contract sum by the amount of discounts provided.
- 6. ENGINEERED WOOD FIBERS (EWF) is sold in quantities of cubic yards. EWF will settle after installation, reducing its depth. Therefore, its depth cannot be guaranteed. Generally speaking, 18" of material settles to a compacted depth of 10"-12". EWF requires maintenance and some topping off from time to time.
- 7. ENTIRE AGREEMENT: This Contract constitutes the entire agreement between the Parties and supersedes any prior understandings, agreements, or representations by or between the Parties, written or oral, to the extent they related in any way to the subject matter hereof.
- 8. EXPANSIVE SOILS: Contractor shall not be responsible for undesirable affects (poor drainage, settlement, expansion, contraction, etc.) of expansive soils (clay soils, etc.), unless all unsuitable materials are removed and replaced (at Customer's cost) with a proper sub-base, prior to installation.
- 9. FINAL INSPECTION: Customer shall perform a final inspection of the project while Contractor or his agents are still on site and shall report any concerns to Contractor at that time so that valid concerns can be corrected right away in order to avoid additional trips to the job site.



- 10. GOVERNING LAW: This Contract shall be governed by and construed in accordance with the domestic laws of the State of CA without giving effect to any choice or conflict of law provision or rule that would cause the application of the laws of any jurisdiction other than the State of California. Jurisdiction shall be the County of San Diego, North County Judicial District.
- 11. INSURANCE: Contractor agrees to carry the following insurance limits during the course of project:

Liability Insurance: \$1,000,000 Each Occurrence, \$1,000,000 Personal and Advertising Injury, \$2,000,000 General Aggregate, \$2,000,000 Products, Completed Operations Aggregate.

Excess Liability Insurance: \$1,000,000 Each Occurrence, \$1,000,000 Personal and Advertising Injury, \$2,000,000 General Aggregate, \$2,000,000 Products, Completed Operations Aggregate.

Workers Compensation: \$1000,000

Commercial Auto Insurance: \$1,000,000

Proof of insurance or additional insured certificates (issued to Customer only) shall be provided upon request. Any custom wording (Primary Wording, Waiver of Subrogation, Cancellation Notices, etc.) on insurance policies or certificates to multiple entities shall be provided at additional cost (Contractor's cost plus 15%), if requested and only if available.

- 12. LEAD TIME: Unless otherwise noted, lead time for delivery of equipment is approximately 8-10 (+/-) weeks AFTER receipt of the signed Contract, deposit and color selection from the Customer. Lead time does not include time needed for shipping, site work and installation. Lead time may vary for different projects, depending on size and Scope of Work.
- 13. MAINTENANCE: Customer shall be responsible for maintenance and upkeep of all acquired items associated with this Contract, after completion, including but not limited to maintenance of equipment, materials, surfacing, drainage system, etc.
- 14. NOTICES: All notices required by this Agreement shall be in writing and be delivered via United States Certified Mail, Return Receipt Requested, addressed to the party to whom such notices are directed. Either party may change its address for notices hereunder by giving notice to the other party in the same manner as provided herein.
- 15. OWNERSHIP: Once equipment and materials are delivered to the Customer's premises, it is considered delivered and Customer shall become responsible for its security.
- 16. OPTIONS: Options are considered equipment, materials and/or services that are not included in the Scope of Work, but can be utilized to modify the Scope of Work, enhance quality or lower cost. If Customer chooses to utilize any of the Options listed in the Contract, Customer shall notify Contractor in writing as soon as possible and prior to the ordering of equipment so that Contract can be modified to incorporate such Options. Once equipment is ordered, it may be too late to make any changes, without affecting cost.
- 17. PAYMENT TERMS: All payments are due per Payment Terms outlined in this Contract. Past due balances are subject to an annual interest rate of 18%, or the maximum allowed by law, whichever is greatest. If payments are not received on time and collection becomes necessary, the



prevailing party shall be entitled to costs incurred plus attorney fees to the full extent allowed by the applicable laws.

- 18. REPAIRS: If any part of the project requires repairs (during or after completion) and becomes a safety concern, Customer shall close site immediately and properly barricade the site until repairs are made.
- 19. RETURNS: Equipment and materials associated with this Contract are highly customized and shall be considered Non-Returnable. Once the Contact is signed and equipment and materials are ordered, it cannot be cancelled. No Returns or Substitutions are permitted under this Contract, unless agreed to in writing by Contractor. In the event that Contractor agrees to a change involving a reduction in the Scope of Work or the Contract sum after the award of Contract, Contractor shall be entitled to charge customer a fee in the range of 15-30% (as determined by Contractor) of the cost of items deleted for the time and effort put forth into processing those items. Additionally, any discounts (if any), associated with the deleted items shall be reversed.
- 20. SEVERABILITY: Any term or provision of this Contract that is invalid or unenforceable in any situation in any jurisdiction shall not affect the validity or enforceability of the remaining terms and provisions hereof or the validity or enforceability of the offending term or provision in any other situation or in any other jurisdiction.
- 21. SHADE STRUCTURES: Shade structures, shelters and canopies included in the Scope of Work (if any) are non-engineered (no calculations or engineering drawings) and non-rated (fire, wind, earthquake, etc.), unless otherwise noted in writing.
- 22. SITE WORK: Site work includes all work that is needed to prepare the site for the installation of equipment and materials. Site work includes, but is not limited to demo, hauling, grading, installation of site materials/sub-base/ drainage/ curbing/ sidewalks/slabs/etc. and creating sufficient space to accommodate the Use Zone of the equipment. If site work is excluded from the Scope of Work:
  - A. Customer shall prepare site so that it is ready for the Contractor to move in.
  - B. It shall be Customer's responsibility to coordinate site requirements with Contractor and provide the proper rough grade elevation in order to have the site ready for installation.
  - C. If site is determined to not be ready upon move-in by Contractor and additional move-ins become necessary, a \$1,500 extra move-in charge shall apply for each additional move-in and Customer shall become responsible for the safety of the site and for the safekeeping of the equipment and materials that are delivered to the job site until Contractor is able to return and re-start installation.
- 23. SLAB: All concrete slabs associated with the Scope of Work (if any), shall be 4" nominal (3 1/2" thick) without any reinforcement, unless otherwise noted.
- 24. SUCCESSION & ASSIGNMENT: This Contract shall be binding upon and inure to the benefit of the Parties named herein and their respective successors and permitted assigns. A Party may not assign either this Contract or any of its rights, interests, or obligations hereunder without the prior written approval of the other Party. Customer shall not assign this Contract to any third party implementation agencies such as property management companies, contract compliance agencies, etc. without the prior written consent of Contractor.



- 25. SUB-CONTRACTORS: Contractor reserves the right to use subcontractors for the labor portion of project without prior consent from the Customer as long as subcontractors used are licensed and insured.
- 26. TERMINATION: This Contract shall not be terminated by either party without material cause. Contractor may terminate this Contract with Customer for lack of payment and for other material breach, if not cured within 10 days of receipt of a written notice to Customer. If this Contract is terminated by any party for any reason, Customer shall remain fully liable for the cost of equipment and materials ordered and services rendered to the full extent allowed by law.
- 27. UNFORESEEN CONDITIONS: Unforeseen conditions include, but are not limited to, having to deal with, modify or repair underground utilities (irrigation, wiring, water, sewer, electric, phone, data, gas, etc.) found during excavation. Unforeseen Conditions shall also include having to excavate or remove boulders, rocks, rocky soil, etc. that can't be cored through or excavated with a shovel and requires the use of a jack hammer or other means. Other examples of Unforeseen Conditions include unexpected items found during excavation that were not obvious or not disclosed by Customer, such as existing footings, curbing, border, pavement, etc. found during the excavation for new footings, unless removal of these items was clearly noted in the Scope of Work. Finally, Unforeseen Conditions shall include any factors and/or conditions that adversely affect the cost of the project which were not disclosed by Customer in writing prior to the signing of this Contract. Cost of dealing with unforeseen conditions shall become extra and shall be added to the Contract sum at the rate of Contractor's out of pocket cost plus 15%. Customer shall indemnify Contractor from any liability associated with damage to underground utilities as a result of Unforeseen Conditions.
- 28. UTILITIES: Utilities include but are not limited to water, sewer, gas, electricity, irrigation and data. In order to minimize damage to utilities, Customer shall mark, cap or relocate all underground utilities that are located within the work area, prior to the start of work by Contractor. Contractor shall not be responsible for damage to underground utilities which are not clearly located and marked by Customer or marked incorrectly.
- 29. WARRANTY: Equipment warranties are provided by equipment manufacturers and not by Contractor. Materials' warranties are provided by the supplier of materials and not by Contractor. When available, Contractor shall provide copies of equipment and materials' warranties to Customer upon request. Contractor shall warrant all Labor provided in the Scope of Work for a period of one year from the date of completion.



### **BID BOND**

### CONTRACTOR:

(Name, legal status and address)
Pacific Play Systems, Inc.
3226 Grey Hawk Court
Carlsbad, CA 92010

### OWNER:

(Name, legal status and address) City of Chula Vista 276 Fourth Avenue, Building A Chula Vista, CA 91910

BOND AMOUNT: Ten percent (10%) of amount bid

### SURETY:

North American Specialty Insurance Company 6 Hutton Centre Drive, Ste. 850 Santa Ana, CA 92707

legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

### PROJECT:

(Name, location or address, and Project number, if any)
Play Ground Equipment and Installation (PR320O RFP P07-14/15

The Contractor and Surety are bound to the Owner in the amount set forth above, for the payment of which the Contractor and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, as provided herein. The conditions of this Bond are such that if the Owner accepts the bid of the Contractor within the time specified in the bid documents, or within such time period as may be agreed to by the Owner and Contractor, and the Contractor either (1) enters into a contract with the Owner in accordance with the terms of such bid, and gives such bond or bonds as may be specified in the bidding or Contract Documents, with a surety admitted in the jurisdiction of the Project and otherwise acceptable to the Owner, for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof; or (2) pays to the Owner the difference, not to exceed the amount of this Bond, between the amount specified in said bid and such larger amount for which the Owner may in good faith contract with another party to perform the work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect. The Surety hereby waives any notice of an agreement between the Owner and Contractor to extend the time in which the Owner may accept the bid. Waiver of notice by the Surety shall not apply to any extension exceeding sixty (60) days in the aggregate beyond the time for acceptance of bids specified in the bid documents, and the Owner and Contractor shall obtain the Surety's consent for an extension beyond sixty (60) days.

If this Bond is issued in connection with a subcontractor's bid to a Contractor, the term Contractor in this Bond shall be deemed to be Subcontractor and the term Owner shall be deemed to be Contractor.

When this Bond has been furnished to comply with a statutory or other legal requirement in the location of the Project, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. When so furnished, the intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

Signed and sealed this 9th	day of January	. 2015	F VIET
(Witness)	Pacific (Princip	c Play Systems, Inc.	(Seal)
Pain Dans	(Time)	ELi ZABETH GERANIAN, V.P.	
(Witness)	(Surety,	11	(Seal)
	(Title)	Anne Wright, Attorney-in-Fact	

### CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF CALIFORNIA	1
County of San Diego	}
On January 9, 2015 before me, Dana L. M	lichaelis Name of Notary exactly as it appears on the official seal
personally appeared Anne Wright	Name(s) of Signer(s)
DANA L. MICHAELIS Commission # 1980195 Notary Public - California San Diego County My Comm. Expires Jun 27, 2016	who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.  I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.  Witness my hand and official seal.
Place Notary Seal Above	Signature of Notary Public Dana L. Michaelis
	it may prove valuable to persons relying on the document reattachment of the form to another document.
Document Date:	
Signer(s) Other Than Named Above:	
Capacity(ies) Claimed by Signer(s)	
Signer's Name:  ☐ Individual ☐ Corporate Officer — Title(s): ☐ Partner ☐ Limited ☐ General ☑ Attorney in Fact ☐ Trustee ☐ Guardian or Conservator ☐ Other: ☐ Other: ☐ Signer is Representing:	Signer's Name:  Individual Corporate Officer — Title(s): Partner Limited General Attorney in Fact Trustee Guardian or Conservator Other: Signer is Representing:


### NAS SURETY GROUP

### NORTH AMERICAN SPECIALTY INSURANCE COMPANY WASHINGTON INTERNATIONAL INSURANCE COMPANY

### GENERAL POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS, THAT North American Specialty Insurance Company, a corporation duly organized and existing under laws of the State of New Hampshire, and having its principal office in the City of Manchester, New Hampshire, and Washington International Insurance Company, a corporation organized and existing under the laws of the State of New Hampshire and having its principal office in the City of
Schaumburg, Illinois, each does hereby make, constitute and appoint:  CYNDI BEILMAN, ANNE WRIGHT
and DANA MICHAELIS
JOINTLY OR SEVERALLY
Its true and lawful Attorney(s)-in-Fact, to make, execute, seal and deliver, for and on its behalf and as its act and deed, bonds or other writings obligatory in the nature of a bond on behalf of each of said Companies, as surety, on contracts of suretyship as are or may be required or permitted by law, regulation, contract or otherwise, provided that no bond or undertaking or contract or suretyship executed under this authority shall exceed the amount of:  FIFTY MILLION (\$50,000,000.00) DOLLARS
This Power of Attorney is granted and is signed by facsimile under and by the authority of the following Resolutions adopted by the Boards of Directors of both North American Specialty Insurance Company and Washington International Insurance Company at meetings duly called and held on the 9 <sup>th</sup> of May, 2012:
"RESOLVED, that any two of the Presidents, any Managing Director, any Senior Vice President, any Vice President, any Assistant Vice Preside the Secretary or any Assistant Secretary be, and each or any of them hereby is authorized to execute a Power of Attorney qualifying the attorney name in the given Power of Attorney to execute on behalf of the Company bonds, undertakings and all contracts of surety, and that each or any of them hereby is authorized to attest to the execution of any such Power of Attorney and to attach therein the seal of the Company; and it is
FURTHER RESOLVED, that the signature of such officers and the seal of the Company may be affixed to any such Power of Attorney or to any certificate relating thereto by facsimile, and any such Power of Attorney or certificate bearing such facsimile signatures or facsimile seal shall be binding upon the Company when so affixed and in the future with regard to any bond, undertaking or contract of surety to which it is attached."
By  SEAL  Senior Vice President of Washington International Insurance Company  & Senior Vice President of Washington International Insurance Company  By  David M. Layman, Vice President of Washington International Insurance Company  & Vice President of North American Specialty Insurance Company  & Vice President of North American Specialty Insurance Company
IN WITNESS WHEREOF, North American Specialty Insurance Company and Washington International Insurance Company have caused their official seals to be hereunto affixed, and these presents to be signed by their authorized officers this 26th day of, 2012.
North American Specialty Insurance Company Washington International Insurance Company
State of Illinois County of Cook ss:
On this 26th day of, 2012_, before me, a Notary Public personally appeared Steven P. Anderson_, Senior Vice President of Washington International Insurance Company and Senior Vice President of North American Specialty Insurance Company and David M. Layman_, Vice President of Washington International Insurance Company and Vice President of North American Specialty Insurance Company, personally known to me, who being by me duly sworn, acknowledged that they signed the above Power of Attorney as officers of and acknowledged said instrument to be the voluntary act and deed of their respective companies.
DONNA D. SKLENS Notary Public, State of Illinois My Commission Expires 10/06/2015  Donna D. Sklens, Notary Public
I, <u>Jeffrey Goldberg</u> , the duly elected <u>Assistant Secretary</u> of North American Specialty Insurance Company and Washington International Insurance Company, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney given by said North American Specialty Insurance Company and Washington International Insurance Company, which is still in full force and effect.
IN WITNESS WHEREOF, I have set my hand and affixed the seals of the Companies this 9th day of January , 20 15 .
Jeff Belley
Jeffrey Goldberg, Vice President & Assistant Secretary of Washington International Insurance Company & North American Specialty Insurance Comp





## **VALLE LINDO PARK TOP VIEW**

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES 3/3 5/3 8/4


FOR KIDS

AGES

2-5

dimensions, topography, existing utilities, soil conditions This conceptual plan is based on information provided prior following, should be obtained, final project design. Exact site to construction. Detailed site evaluated, and utilized in the GENERAL NOTES: information, including the and drainage solutions.

equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing. WARNING: Accessible safety surfacing material is required equipment that has a critical appropriate for the highest height value (Fall Height) beneath and around this accessible part of this



STRUCTURE#: 8292DA PROJECT#: DC79DA-2

DRAWN BY: MDM DATE: 1/8/2015

MIN. USE ZONE: 35' x 32' DIMENSIONS: 23' x 22'

PLAYCRAFT REP:



**VALLE LINDO PARK TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES 3/0 0/0 0

AGES 2-5

# FOR KIDS

This conceptual plan is based on information provided prior

GENERAL NOTES:

to construction. Detailed site

following, should be obtained, final project design. Exact site


information, including the

evaluated, and utilized in the

## Gable Roof Shingled

dimensions, topography, existing utilities, soil conditions

and drainage solutions.



accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

equipment that has a critical height value (Fall Height) appropriate for the highest

surfacing material is required

beneath and around this

WARNING: Accessible safety

STRUCTURE#: BCBBBA PROJECT#: DC79DA-2 DRAWN BY: MDM DATE: 1/8/2015

PLAYCRAFT REP:

MIN. USE ZONE: 5' x 10' DIMENSIONS: 6' x 11'



**VALLE LINDO PARK TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES 2/0 0/0 0

# FOR KIDS

AGES

## 2-5

## GENERAL NOTES:

dimensions, topography, existing utilities, soil conditions on information provided prior following, should be obtained, final project design. Exact site This conceptual plan is based to construction. Detailed site evaluated, and utilized in the information, including the and drainage solutions.

accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing. WARNING: Accessible safety surfacing material is required equipment that has a critical height value (Fall Height) appropriate for the highest beneath and around this

> Memory Panel Pinball Panel Tic-Tac-Toe Panel


> > STRUCTURE#: 7FFDBA PROJECT#: DC79DA-2

DRAWN BY: MDM DATE: 1/8/2015

PLAYCRAFT REP:

MIN. USE ZONE: 12' x 1' DIMENSIONS: 12' x 1'






STRUCTURE#: 8292DA PROJECT#: DC79DA-2 DATE: 1/8/2015 | DRAWN BY: MDM

PLAYCRAFT REP: Pacific Play Systems, Inc



VALLE LINDO PARK
NE VIEW

FOR KIDS AGES 2-5




STRUCTURE#: 8292DA PROJECT#: DC79DA-2 DATE: 1/8/2015 | DRAWN BY: MDM

Pacific Play Systems, Inc PLAYCRAFT REP:



FOR KIDS AGES 2-5

VALLE LINDO PARK SW VIEW



PROJECT#: DC79DA-2 STRUCTURE#: BCBBBA

DATE: 1/8/2015 | DRAWN BY: MDM

Pacific Play Systems, Inc PLAYCRAFT REP:




**VALLE LINDO PARK** 

**SW VIEW** 

Pacific Play Systems, Inc

PLAYCRAFT REP:



STRUCTURE#: 7FFDBA

PROJECT#: DC79DA-2 DATE: 1/8/2015 | DRAWN BY: MDM

### **Bill of Materials**



VALLE LINDO PARK City of Chula Vista

Project# DC79DA-2 1/8/2015

Item	Description	Quantity
8292DA		3
GF-7002	Dome Cap, R5	3
S-1010-R5-10ft	Post, 10ft R5	2
S-1011-R5-11ft	Post, 11ft R5	1
S-1013-R5-13ft	Post, 13ft R5	6
S-1101-R5	Square Deck	1
S-1102-R5	Tri-Deck	1
S-1106-R5	Hex Deck, Half (4 Post)	2
S-1209-24-R5	Transfer Station, 36in-L	1
S-1216-DLX3R5	Climber, Deluxe Grip 30-36in	1
S-1232-4R5-HR	Climber, Track 42-48in (w/ Hand Rails)	1
S-1233-3R5-HWMC	Climber, Disc 30-36in (w/ HW, MC)	1
S-1644-R5	Gear Panel	1
S-1645-R5G	Store Panel (Open)	1
S-1685-R5	Mosaic Panel	1
S-1702-4R5H	Slide, Wave 48in (Double w/ Hood)	1
S-1704-4R5H	Slide, Wave 48in (Single w/ Hood)	1
S-1710-4R5-R	Slide, Twister 48in (R)	1
S-1803-R5	Roof, Hex	1
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1910-R5	Talk Tube (Post Mounted, Right)	1
S-1962-R5	Play Seat (Double Post)	2
BCBBBA	·	2
GF-7002	Dome Cap, R5	2
S-1007-R5-07ft	Post, 07ft R5	1
S-1008-R5-08ft	Post, 08ft R5	1




## Bill of Materials (continued)

Item	Description	Quantity
S-1009-R5-09ft	Post, 09ft R5	4
S-1605-R5G	Clock Panel	1
S-1610-R5G	Peek Panel	1
S-1639-R5	Clubhouse	1
S-1808-R5	Roof, Gable (Shingled)	1
S-1910-R5	Talk Tube (Post Mounted, Right)	1
7FFDBA		2
GF-7002	Dome Cap, R5	4
S-1007-R5-07ft	Post, 07ft R5	4
S-1608-R5G	Memory Panel	1
S-1616-R5G	Tic-Tac-Toe Panel	1
S-1631-R5G	Pinball Panel	1



System R-5 | Los Ninos Park

For Kids 2-5 | Project# DE887A-2 - DATE: 1/9/2015



**TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES

3/3 5/3 8/4

dimensions, topography, existing utilities, soil conditions information, including the following, should be obtained, FOR KIDS This conceptual plan is based on information provided prior final project design. Exact site to construction. Detailed site evaluated, and utilized in the GENERAL NOTES: AGES 2-5

accessible part of this equipment. Refer to the CPSC'S Playground Safety, Section 4: Surfacing. surfacing material is required beneath and around this WARNING: Accessible safety equipment that has a critical height value (Fall Height) appropriate for the highest Handbook For Public

and drainage solutions.



STRUCTURE#: 4B19EA PROJECT#: DE887A-2 DRAWN BY: MDM DATE: 1/8/2015

MIN. USE ZONE: 35' x 32' DIMENSIONS: 23' x 22'

PLAYCRAFT REP:



**TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES

1/0 1/0 0/0

0





FOR KIDS

### AGES 2-5

## GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing. surfacing material is required beneath and around this WARNING: Accessible safety equipment that has a critical height value (Fall Height)

> SPINNER PC 2454 SEAT



PLAYCRAFT REP: MIN. USE ZONE: 14' x 14'

Pacific Play Systems, Inc



DIMENSIONS: 2' x 2'

**TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES

1/0 1/0 0/0

0



FOR KIDS

## AGES

## 2-5

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions. GENERAL NOTES:

equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing. surfacing material is required beneath and around this equipment that has a critical WARNING: Accessible safety appropriate for the highest height value (Fall Height) accessible part of this

> PC 2475 STAND-N-SPIN



PLAYCRAFT REP:

Pacific Play Systems, Inc



STRUCTURE#: PC2475 PROJECT#: DE887A-2 DRAWN BY: MDM DATE: 1/8/2015

MIN. USE ZONE: 14' x 14' DIMENSIONS: 2' x 2'

**TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES

1/0 1/0 0/0

0





FOR KIDS

## AGES

## 2-5

## GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

equipment. Refer to the CPSC'S Handbook For Public surfacing material is required beneath and around this Playground Safety, Section 4: Surfacing. WARNING: Accessible safety equipment that has a critical appropriate for the highest height value (Fall Height) accessible part of this

PC-1420-R5 TALK TUBE



MIN. USE ZONE: 2' x 3' DIMENSIONS: 2' x 3'


DRAWN BY: MDM

STRUCTURE#: PC1420R5 PROJECT#: DE887A-2 DATE: 1/8/2015

PLAYCRAFT REP:



LOS NINOS PARK SW VIEW




PROJECT#: DE887A-2 STRUCTURE#: 4B19EA

DATE: 1/8/2015 | DRAWN BY: MDM

Pacific Play Systems, Inc PLAYCRAFT REP:

FOR KIDS AGES 2-5

LOS NINOS PARK NE VIEW



STRUCTURE#: 4B19EA PROJECT#: DE887A-2

DATE: 1/8/2015 | DRAWN BY: MDM

Pacific Play Systems, Inc PLAYCRAFT REP:



### **Bill of Materials**




LOS NINOS PARK City of Chula Vista Project# DE887A-2 1/8/2015

Item	Description	Quantity
4B19EA		3
GF-7002	Dome Cap, R5	3
S-1010-R5-10ft	Post, 10ft R5	2
S-1011-R5-11ft	Post, 11ft R5	1
S-1013-R5-13ft	Post, 13ft R5	6
S-1101-R5	Square Deck	1
S-1102-R5	Tri-Deck	1
S-1106-R5	Hex Deck, Half (4 Post)	2
S-1209-24-R5	Transfer Station, 36in-L	1
S-1216-DLX3R5	Climber, Deluxe Grip 30-36in	1
S-1232-4R5-HR	Climber, Track 42-48in (w/ Hand Rails)	1
S-1233-3R5-HWMC	Climber, Disc 30-36in (w/ HW, MC)	1
S-1644-R5	Gear Panel	1
S-1645-R5G	Store Panel (Open)	1
S-1685-R5	Mosaic Panel	1
S-1702-4R5H	Slide, Wave 48in (Double w/ Hood)	1
S-1704-4R5H	Slide, Wave 48in (Single w/ Hood)	1
S-1710-4R5-R	Slide, Twister 48in (R)	1
S-1803-R5	Roof, Hex	1
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1910-R5	Talk Tube (Post Mounted, Right)	1
S-1962-R5	Play Seat (Double Post)	2
PC2454		
A2-2454	PC 2454 Spinner Seat	1
PC2475		
S-1949	PC 2475 Stand-n-Spin	1



### Bill of Materials (continued)

ltem	Description	Quantity
PC1420R5		2
GF-7002	Dome Cap, R5	1
S-1008-R5-08ft	Post, 08ft R5	1
S-1910-R5	Talk Tube (Post Mounted, Left)	1



ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES 0/0 0

FOR KIDS


4/0

### AGES 2-5

## GENERAL NOTES:

# This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

equipment. Refer to the CPSC'S Playground Safety, Section 4: Surfacing. WARNING: Accessible safety surfacing material is required equipment that has a critical appropriate for the highest beneath and around this height value (Fall Height) accessible part of this Handbook For Public



STRUCTURE#: C97A7A PROJECT#: 3806CA DRAWN BY: CDH DATE: 1/9/2015

PLAYCRAFT REP:

MIN. USE ZONE: 6' x 9' DIMENSIONS: 7' x 9'



**LOMA VERDE PARK** 

**TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES

2/0

2/0

0

0/0

0

FOR KIDS

## AGES 2-5

## GENERAL NOTES:

### This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site

dimensions, topography, existing utilities, soil conditions and drainage solutions.

appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing. surfacing material is required beneath and around this WARNING: Accessible safety equipment that has a critical height value (Fall Height)

> Tic-Tac-Toe Panel Pinball Panel

PLAYCRAFT REP:

MIN. USE ZONE: 8' x 1' DIMENSIONS: 9' x 1'

**LOMA VERDE PARK** 

**TOP VIEW** 

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES

0 0/0

0



1/0



AGES 2-5

FOR KIDS

## GENERAL NOTES:

dimensions, topography, existing utilities, soil conditions and drainage solutions. on information provided prior to construction. Detailed site information, including the following, should be obtained, This conceptual plan is based final project design. Exact site evaluated, and utilized in the

appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing. surfacing material is required beneath and around this WARNING: Accessible safety equipment that has a critical height value (Fall Height)

Talk Tube



MIN. USE ZONE: 2' x 3' DIMENSIONS: 3' x 3'

PLAYCRAFT REP:

Pacific Play Systems, Inc



STRUCTURE#: PC1420 PROJECT#: 3806CA

DRAWN BY: CDH DATE: 1/9/2015


FOR KIDS

AGES 2-5



**LOMA VERDE PARK** 

**NE VIEW** 



STRUCTURE#: C97A7A

PROJECT#: 3806CA

DATE: 1/9/2015 | DRAWN BY: CDH

PLAYCRAFT REP: