
Attachment 3

DISTRICT REGULATIONS AND DESIGN GUIDELINES

District 1 Requirements Gateway Mixed Use Commercial District Adopted





(8/9/2016)

II-7

EUC PC DISTRICT REGULATIONS

District 1 Requirements Gateway Mixed Use Commercial District Proposed





- at full build-out. It does not establish the minimum or maximum heights. Individual buildings may deviate from the minimum average height so long as the overall average within the district is maintained.
- The average heights include parking within the building, but excludes separate parking 3. structures or accessory structures. Refer to the text in this chapter for additional explanation and methods of calculating height.
- 4. Refer also to Chapter 02 for the minimum and maximum building height standards for each street frontage.
- 5. Refer also to exceptions in Chapter 03.09.002b vi, herein.

Eastern Urban Center CHUIX VISTA OTAY RANCH



(8/9/2016)

III-69


Page 3 of 4

EUC PC DISTRICT REGULATIONS

top building line with vertical elements to avoid a continuous

2-story roof line. (Refer also to Chapter 03.09.02b vi)

Regulating Plan Minimum Average Building Heights Proposed



This Conceptual Plan illustrates the minimum average height for each district indicated 2. at full build-out. It does not establish the minimum or maximum heights. Individual buildings may deviate from the minimum average height so long as the overall average within the district is maintained.

The average heights include parking within the building, but excludes separate parking 3. structures or accessory structures. Refer to the text in this chapter for additional explanation and methods of calculating height.

- Refer also to Chapter 02 for the minimum and maximum building height standards for 4. each street frontage.
- 5. Refer also to exceptions in Chapter 03.09.002b vi, herein.

Eastern Urban Center **OTAY RANCH** CHULA VISTA



Exhibit III-29 EUC PC DISTRICT REGULATIONS

(8/9/2016)

III-69 Page 4 of 4

Provide enhanced architectural treatment & punctuate the top building line with vertical elements to avoid a continuous 2-story roof line. (Refer also to Chapter 03.09.02b vi)